

## MPCOLOR 48 RGBW (it. 194110)



Wash/flood light fixture with 6 independent segment control 8 LEDs, which can be controlled individually to create engaging eye candy that enhances any live production. IP 65 protection rating. RDM/DRS.

### Technical Specification

|                              |   |
|------------------------------|---|
| LED type                     | RGBW5050MULTICHIP   |
| Number of LEDs               | 48  |
| LED expected lifetime (hrs)  | 50000   |
| Lumen MAX                    | 35904   |
| Red lumen (lm)               | 7680  |
| Green lumen (lm)             | 13440   |
| Blu lumen (lm)               | 2400  |
| White lumen (lm)             | 14784   |
| Colour temperature range (K) | 2000 - 10000  |
| Lenses                       | 8°<br>15°<br>15°x30°<br>25°<br>40°<br>60°   |
| Filters                      | None<br>f 60°<br>f 100°<br>f 8°x 60°<br>frost 65°   |
| Connectors and cables        | Main Power: PowerCon IP65 connector (male-female)<br>DMX signal: XLR5pin IP65 connector (male-female) |
| Control type                 | Protocol USITT DMX512 - RDM<br>Protocol USITT DMX512 - RDM + Wireless (on request)                    |

|                           |  |
|---------------------------|--|
| Functions                 | LED display with flip function<br>Dedicated DMX channel for white balance from 2000K to 10000K<br>Dedicated DMX channel for macro<br>DMX or Auto Mode with Master-Slave function<br>Intelligent temperature control<br>Smooth dimming function<br>Ultrafast strobe effect<br>Halogen simulation<br>CYM simulation<br>Flicker-free function |
| Setup                     | RDM/DRS + touch control panel  |
| DMX channels              | 30ch - 24ch - 9ch - 4ch  |
| Input range               | 100 - 240 VAC; 47/63 Hz  |
| Power (W)                 | 450  |
| Current                   | 2A@230VAC  |
| Power Factor              | PF>0,95@230VAC   |
| Inrush current            | 60A@230V   |
| IP protection rating      | 65<br>67 optional  |
| Sizes l x p x h (mm)      | 622 x 206 x 330 mm   |
| Weight (Kgs)              | 16   |
| Mounting systems          | Surface<br>Truss (optional)  |
| Colour finishing          | Black RAL 9005 (standard)<br>Grey RAL 9006 (optional)<br>White RAL 9010 (optional)   |
| Marine Grade treatment    | None<br>Yes  |
| Product Category          | Wall Washer  |
| Accessories - Handle      | None<br>Yes  |
| Accessories - Flight case | None<br>Yes  |
| Accessories - Anti glare  | None<br>Yes  |
| Accessories - Barn door   | None<br>Yes  |

## Your Configuration

|                              |                             |
|------------------------------|-----------------------------|
| LED type                     | RGBW5050MULTICHIP           |
| Number of LEDs               | 48                          |
| LED expected lifetime (hrs)  | 50000                       |
| Lumen MAX                    | 35904                       |
| Red lumen (lm)               | 7680                        |
| Green lumen (lm)             | 13440                       |
| Blu lumen (lm)               | 2400                        |
| White lumen (lm)             | 14784                       |
| Colour temperature range (K) | 2000 - 10000                |
| Lenses                       | 8°                          |
| Filters                      | None                        |
| Control type                 | Protocol USITT DMX512 - RDM |
| Input range                  | 100 - 240 VAC; 47/63 Hz     |
| Power (W)                    | 450                         |
| Current                      | 2A@230VAC                   |
| Power Factor                 | PF>0,95@230VAC              |
| Inrush current               | 60A@230V                    |
| IP protection rating         | 65                          |
| Sizes l x p x h (mm)         | 622 x 206 x 330 mm          |
| Weight (Kgs)                 | 16                          |
| Mounting systems             | Surface                     |
| Colour finishing             | Black RAL 9005 (standard)   |
| Marine Grade treatment       | None                        |
| Product Category             | Wall Washer                 |
| Accessories - Handle         | None                        |
| Accessories - Flight case    | None                        |
| Accessories - Anti glare     | None                        |
| Accessories - Barn door      | None                        |